
United States Environmental Protection Agency Office of Research and Development National Exposure Research Laboratory Environmental Sciences Division Landscape Ecology Branch



Mapping The Spatial Extent Of Ground Dust/Debris From The Collapse Of The World Trade Center Buildings

New York, New York

Appendix A, Figures December, 2005






Figure 1. Study area location. Source: 1:100,000 quadrangles, Long Island West (1986) and Newark (1984).





Figure 2A. September 11, 2001. Source: NYPD image 4. Time is approximately between 10:00am - 10:30 am. A view of lower Manhattan looking south along West Street. The collapse cloud from WTC building 2 is evident while building 1 and building 7 remain standing. A visible demarcation of dust/debris is present at the intersection of West and Warren Streets.





Figure 2B. September 11, 2001. Source: NYPD image 17. Time is approximately between 10:00 am - 10:30am. A view of lower Manhattan looking south along West Street towards "Ground Zero". The northern extent of the collapse cloud from WTC building 2 has begun to recede. WTC buildings 1 and 7 remain standing.





Figure 2C. September 11, 2001. Source: NYPD image 32. Time is approximately 10:30am. The WTC building 1 collapse cloud is evident funneling north along West Street and West Broadway. WTC building 7 remains standing. The ground dust/debris boundary produced by WTC building 2 remains visible.





Figure 2D. September 11, 2001. Source: NYPD image 35. Time is approximately 10:30 am. The WTC building 1 collapse cloud, funneling north along West Street, has enveloped the ground dust/debris boundary produced by the collapse of WTC building 2.





Figure 2E. September 11, 2001. Source: NYPD image 54. Time is between 10:30 am. and 5:30 pm. The northern extent of the WTC building 1 collapse cloud has begun to recede. The WTC building 7 is visible. The visible ground dust/debris boundary, along West Street, is now located at the intersection of West and Chambers Streets.





Figure 3. September 11, 2001. Source: pp. 49-49 in <u>Above Hallowed Ground</u>. Time of photograph is between 10:30 am - 5:30 pm. (WTC building 7 is visible). The boundary in orange is the visible ground dust/debris boundary and represents the area of primary deposition, in lower Manhattan, due to the collapse of WTC buildings 1 and 2.







Figure 4. August 27, 2001. Landsat 7 ETM+ image displayed in natural color bands 3,2,1. This image was used with the September 12, 2001 Landsat 7 ETM+ image for temporal reflectance change analysis.





Positive ratio reflectance change, 8/27/01 - 9/12/01

Band 7 Ratio Data
1.65 - 10.00 (> 2 SD)

Band 8 Ratio Data
1.25 - 10.00 (> 2 SD)

September 11, 2001
ground dust/debris
boundary

Areas of Clouds and shadow on the August 27, 2001
Landsat 7 ETM+ image

SD = Standard Deviation



Figure 5. September 12, 2001. Landsat 7 ETM+ image diplayed in bands 3, 2 and 1. Image ratio change detection is presented on two overlay attachments and is based on per pixel reflectance change between 8/27/01 and 9/12/01. Pixels mapped in red (B) represent band 7 data residing beyond 2 standard deviations and pixels mapped in black (A) represent band 8 data residing beyond 2 standard deviations.






Figure 6. September 12, 2001. Enlarged Landsat 7 ETM+ image diplayed in bands 3, 2 and 1. Image ratio change detection is presented on two overlay attachments and is based on per pixel reflectance change between 8/27/01 and 9/12/01. Pixels mapped in red (B) represent band 7 data residing beyond 2 standard deviations and pixels mapped in black (A) represent band 8 data residing beyond 2 standard deviations.






Figure 7. September 12, 2001. EO-1 Hyperion coverage of the study area displayed in natural color bands. Endmember classification is mapped in black on the overlay and is based on ground spectra of lower Manhattan.






Figure 8. September 12, 2001. Enlargement of EO-1 Hyperion coverage of lower Manhattan and surrounding area. Endmember classification is mapped in black on the overlay and is based on ground spectra of lower Manhattan.






Figure 9. September 12, 2001. IKONOS-1 one-meter imagery displayed in natural color bands 3, 2 and 1. Study area coverage is approximately fifty percent.





Figure 10. September 12, 2001. IKONOS-1 imagery displayed in natural color bands 3, 2 and 1. Points in red represent areas of dust/debris observed in lower Manhattan. Area in orange, along West Street, represents probable dust/debris due to vehicular dispersal.





Figure 11. Area of coverage of the September 13, 2001 aerial photographs (outline in black).










Figure 12. September 13, 2001. Image moasic of lower Manhattan and portions of Brooklyn. Points in black represent areas where vehicle tracks and possible dust were observed along wharf areas in Brooklyn.






Figure 13. September 13, 2001. Enlarged image of KAS photograph 2-17 providing an example of probable dust along Canal Street between West Broadway and the Avenue of the Americas.



Figure 14. September 13, 2001. Enlargement of wharf area in Brooklyn, along the East River, in the vicinity of the intersection of Congress and Columbia Streets. Locations of vehicle track patterns, in dust, are noted as black points. The excavation area is mapped in brown.






Figure 15. September 13, 2001. Enlargement of wharf area in Brooklyn along the East River in the vicinity of the intersection of Congress and Columbia Streets. Locations of vehicle track patterns, in dust, are noted as black points. The excavation area is mapped in brown. Areas of mounded material are noted as orange points.

SEPA